Master Lock



Lock-Locker Compatibility Program

Have Confidence in Your Lock and Locker Selections!



This Seal Signifies Lyon L.L.C.
Participation in the Lock-Locker
Compatibility Program.™



We are dedicated to providing you with a problem free solution.

Compatibility and Quality Program

Master Lock Company and Lyon L.L.C.

Committing to lock and locker compatibility and quality

We understand that the compatibility between lock and locker must be seamless. We have your solution – the Lock-Locker Compatibility Program.™

Master Lock, in partnership with Lyon L.L.C., has developed an ongoing engineering collaborative and testing program. The program is designed to help ensure the locker purchaser receives a high quality, seamless, locker locking solution.

Program Elements



Annual Compatibility Review

Verification testing and design review by engineers ensuring compatibility between locks and lockers.



Periodic Production Spot Checks

Lyon L.L.C. performs periodic operation compatibility testing of locks on actual locker orders.



New Product Validation

Ensures that new lock and locker products work as intended before introduction, providing seamless locker locking.



Annual Design Conference

Master Lock and Lyon L.L.C. engineers meet to support, collaborate, and assist in continuous improvements.

Locker manufacturers participating in this program have agreed to conduct lock-locker testing and work in collaboration with Master Lock. This does not guarantee specific security or durability standards. Locker purchasers should conduct their own evaluation of lock-locker solutions prior to purchase to ensure the selected lock-locker solution meets their needs.



Please use this table as a guide only. Master Lock recommends trying your selected lock on your specific application prior to any purchase. Contact your lock distributor or Master Lock for assistance.

1690/1790 locks are recommended for single point latch lockers.

*Note: Single point latch lockers transitioned from horizontal latching (1652 or 1670) to rotating latching (Wrap Around Latch™) in 2008. Lockers built before 2008 will use horizontal latch locks.

Please check with the locker manufacturer to confirm latch type used for lock built in 2008 or after.







Built-In Wran







	Lock Selection Handle/ Latch Type	Electronic Built-In Locks	Multi-User Locks	Around Latch Locks Highest Security		Built-In Combination Locks		Built-In Keyed Locks		Combination Portable Padlocks		
Locker Selection						General	Higher	General	Higher	Key Controlled		Not Key Controlled
				Combo	Keyed	Security	Security	Security	Security	General Security	Higher Security	General Security
Standard	Gravity Lift		3630**, 3631**			1630, 1631 (L)			1710+	1525, 1585	2010S	1502, 1572
	Current Single Point		3630**++, 3631**++	1690	1790+							
	Pre 9-2009 Single Point*					1652*	1670*		1710*+			
	Turn Handle						1670, 1671 (L)		1710+		2010	
	Pull	3681, 3685	3630**, 3631**			1654, 1655 (L)	1670, 1671 (L)	1714+	1710+			
Heavy Duty	Gravity Lift		3630**, 3631**			1630, 1631 (L)			1710+	1525, 1585	2010S	1502, 1572
	Current Single Point		3630**++, 3631**++	1690	1790+							
	Pre 9-2009 Single Point*					1652*	1670*		1710*+			
	Turn Handle						1670, 1671 (L)		1710+		2010	
	Pull	3681, 3685	3630**, 3631**			1654, 1655 (L)	1670, 1671 (L)	1714+	1710+			
All-Welded	Gravity Lift		3630**, 3631**			1630, 1631 (L)			1710+	1525, 1585	2010S	1502, 1572
	Current Single Point		3630**++, 3631**++	1690	1790+							
	Pre 9-2009 Single Point*					1652*	1670*		1710*+			
	Turn Handle						1670, 1671 (L)		1710+		2010	
	Pull	3681, 3685	3630**, 3631**			1654, 1655 (L)	1670, 1671 (L)	1714+	1710+			
Special ADA	Recessed Handle Gravity Latch		3630**, 3631**									
	Turn Handle						1676MKADA		1676MKADA	1525EZRC		
	Recessed Handle Single Point		3630**++, 3631**++									

⁺Note: Models 1790, 1714 and 1710 are available with optional master keying. Add MK to product number when ordering. (ie: 1790 + Master Key = 1790MK)

^{**} Requires hole in door or cup to be enlarged to 1/4"




















Designed to meet 28CFR Part 36 Federal Standards 3681, 1630 = 1636MKADA, 1670 = 1676MKADA, 1690 = 1695MKADA, 1790 = 1790MKADA, 1710 = 1710MKADA, 1714 = 1714MKADA





⁺⁺Note: Requires adapter plate available from Lyon LLC at an additional cost